TABLE 3-7. FETAL DEATHS AND MORTALITY RATIOS FROM SELECTED CAUSES OF DEATH, CALIFORNIA, 2003 (By Place of Residence)

| ICD CODES (REV. 10) | | CAUSE OF DEATH | NUMBER | DEATH RATIO ¹ | PERCENT |
|------------------------|---|--|----------|-----------------------------|------------|
| A00-Y89 | | TOTAL, ALL CAUSES | 2,928 | 5.4 | 100.0 |
| P00-P96 | | CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD | 2,587 | 4.8 | 88.4 |
| P00 | # | FETUS AFFECTED BY MATERNAL CONDITIONS THAT MAY BE UNRELATED TO PRESENT PREGNANCY | 124 | 0.2 | 4.2 |
| P00.0 | | MATERNAL HYPERTENSIVE DISORDERS | 76 | 0.1 | 2.6 |
| P01 | # | FETUS AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY | 244 | 0.5 | 8.3 |
| P01.1 | | PREMATURE RUPTURE OF MEMBRANES | 123 | 0.2 | 4.2 |
| P02 | # | FETUS AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES | 905 | 1.7 | 30.9 |
| P02.1 | | OTHER FORMS OF PLACENTAL SEPARATION & HEMORRHAGE | 205 | 0.4 | 7.0 |
| P02.2 | | OTHER & UNSPECIFIED MORPHOLOGICAL & FUNCTIONAL ABNORMALITIES OF PLACENTA | 80 | 0.1 | 2.7 |
| P02.5 | | OTHER COMPRESSION OF UMBILICAL CORD | 205 | 0.4 | 7.0 |
| P02.6 | | OTHER AND UNSPECIFIED CONDITIONS OF UMBILICAL CORD | 296 | 0.5 | 10.1 |
| P07 | # | DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTHWEIGHT, NOT ELSEWHERE CLASSIFIED | 275 | 0.5 | 9.4 |
| P07.2 | | EXTREME IMMATURITY | 208 | 0.4 | 7.1 |
| P07.3 | | OTHER PRETERM INFANTS | 67 | 0.1 | 2.3 |
| P20-21 | # | INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA | 42 | 0.1 | 1.4 |
| P29 | | CARDIOVASCULAR DISORDERS ORIGINATING IN THE PERINATAL PERIOD | 73 | 0.1 | 2.5 |
| P29.1 | | NEONATAL CARDIAC DYSRHYTHMIA | 57 | 0.1 | 1.9 |
| P70 | | TRANSITORY ENDOCRINE & METABOLIC DISORDERS SPECIFIC TO FETUS | 41 | 0.1 | 1.4 |
| P80-P96 | | OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD | 800 | 1.5 | 27.3 |
| P95 | # | FETAL DEATH OF UNSPECIFIED CAUSE | 766 | 1.4 | 26.2 |
| RESIDUAL | | OTHER CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD | 83 | b | 2.8 |
| Q00-Q99 | # | CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES | 326 | 0.6 | 11.1 |
| Q00-Q07 | | CONGENITAL MALFORMATIONS OF NERVOUS SYSTEM | 57 | 0.1 | 1.9 |
| Q00.0 Q20-Q28 | | ANENCEPHALY CONGENITAL MALFORMATIONS OF THE CIRCULATORY SYSTEM | 33 18 | 0.1 | 1.1 0.6 |
| | | | 11 | а | 0.6 |
| Q24.9 | | OF THE HEART, UNSPECIFIED | 22 | а | 0.4 |
| Q60-Q64 Q65-Q79 | | CONGENITAL MALFORMATIONS OF THE URINARY SYSTEM CONGENITAL MALFORMATIONS & DEFORMATIONS OF THE MUSCULOSKETAL SYSTEM | 16 | а | 0.8 |
| Q86-Q89 | | OTHER CONGENITAL MALFORMATIONS OTHER CONGENITAL MALFORMATIONS | 105 | a 0.2 | 3.6 |
| Q66-Q69 Q89.7 | | MULTIPLE CONGENITAL MALIFORMATIONS. NOT ELSEWHERE CLASSIFIED | 47 | 0.2 | 1.6 |
| Q89.7 Q90-Q99 | | CHROMOSOMAL ABNORMALITIES, NOT ELSEWHERE CLASSIFIED | 102 | 0.1 | 3.5 |
| Q90-Q99 Q91.3 | | EDWARD'S SYNDROME, UNSPECIFIED | 37 | 0.2 0.1 | 1.3 |
| RESIDUAL | | OTHER CONGENITAL MALFORMATIONS, DEFORMATIONS & CHROMOSOMAL ABNORMALITIES | 6 | 0.1 b | 0.2 |
| | | CAUSES NOT SPECIFIC TO PERINATAL PERIOD | | _ | |
| A00-E84 | | CAUSES NOT SPECIFIC TO PERINATAL PERIOD | 15 | а | 0.5 |

¹ Fetal death ratios are per 1000 live births.

Note: Includes only those fetal deaths of 20 weeks or more gestation. Percents are rounded independently and may not add to totals.

Source: State of California, Department of Health Services, Fetal Death Records.

a Less than 0.05.

b Ratios not calculated for residual categories.

[#] Causes marked with a "#" are rankable as leading causes of fetal death. See NCHS' Instruction Manual Part 9: ICD-10 Cause-of-Death Lists for Tabulating Mortality Statistics (Updated October 2002) at www.cdc.gov/nchs/data/dvs/im9_2002.pdf.pdf.